E16/A1						
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	jp2003/138460	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 06:39
S2	1	jp2003138460	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/30 15:10
S3	1	10/828302	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/30 15:13
S4	1702	(73/146).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/30 16:13
S5	113	(73/146.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/30 16:13
S6	37	("tire pressure monitor") and (fill inflat pressurize)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 06:42
S7	248	("tire pressure monitor")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 06:41
S8	3	("tire pressure monitor") and (fill inflat pressurize).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 06:41
S9	10346	(detect with (inflating supplying pressurizing filling))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 08:29
S11	5	(detect with (rate near3 increase) with pressure) and tire	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:44
S12	3	09/896528	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:25
S13	176	("tire pressure sensor") and ((detect\$4 sens\$4) near5 (fill\$4 add\$4 inflat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:37

S14	196	("tire procesure consess") and	LIC DCDLID	00	ON	2005/00/24 42 55
	190	("tire pressure sensor") and ((detect\$4 sens\$4) near5 (change))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:37
S15	164	("tire pressure sensor") and ((detect\$4 sens\$4) near3 (change))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:37
S16	72	("tire pressure sensor") and ((detect\$4 sens\$4) near3 (change near3 pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:42
S17	2281	("air filling")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:44
S18	1128	tire and (air adj fill\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:44
S19	39	tire and (air adj fill\$4) and (pressure adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:21
S20	675	(air adj fill\$4) and (pressure adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 12:46
S21	9738	inflat\$4 and tire and (monitor\$4 detect\$4 measur\$4 test\$4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:26
S22	1345	inflat\$4 and tire and (monitor\$4 detect\$4 measur\$4 test\$4 sens\$4) and dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:26
S23	829	(inflat\$4 and tire and (monitor\$4 detect\$4 measur\$4 test\$4 sens\$4)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON .	2005/08/31 14:23
S24	29	(inflat\$4 and tire and (monitor\$4 detect\$4 measur\$4 test\$4 sens\$4) and dynamic).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:23
S25	867	inflat\$4 and tire and (monitor\$4 detect\$4 measur\$4 test\$4 sens\$4) and (pressure adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:26

	I		1	T		T
S26	205	S22 and (pressure adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:28
S27	696	("tire pressure sensor")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:29
S28	3660	("pressure sensor") and tire	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:29
S29	2983	S28 and (fill\$4 inflat\$4 pressuriz\$4 pump\$4 add\$4 supply\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:31
S30	986	S28 and ((detec\$4 monitor\$4 sens\$4) near3 (fill\$4 inflat\$4 pressuriz\$4 pump\$4 add\$4 supply\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:32
S31	372	S28 and ("filling")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:32
S32	205	S28 and ("inflating")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:32
S33	182	S28 and ("pressurizing")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:33
S34	679	S28 and ("adding")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:33
S35	1087	(S31 S32 S33 S34) and (rate time rapid quick)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:34
S36	177	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:35
S37	190	tire and (leak adj detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 15:10

	Y	Y				
S38	0	tire and ((leak adj detect\$4) near5 (adding filling inflating))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:37
S39	1	tire and ((leak adj detect\$4) with (adding filling inflating))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:37
S40	1124	("tire pressure") and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:53
S41	827	("tire pressure") and alarm and (motion or move or moving or stopped or stationary)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ÓN	2005/08/31 14:54
S42	120	("tire pressure") and (alarm) and (motion or move or moving or stopped or stationary) and ("change in pressure" or "pressure change")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 14:55
S43	3	("tire pressure sensor" and (leak adj detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 15:16
S44	169	tire and maintenance.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 15:20
Ş45	412	(determin\$4 same (air or tire) same (inflat\$4 fill\$4 suppl\$4 add\$4)).clm. and "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/31 15:24
S46	225	(73/146.3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/31 15:48